
FIG.1



2/11

FIG.2

AUTOMATIC PRINT	CONTINUATION	
ERROR CATEGORY	CONTINUE TO PRINT?	~
SHEET SIZE MISMATCH ERROR	O YES @ NO	
FONT SELECTION ERROR	● YES O NO	
DEVICE CONFIGURATION MISMATCH ERROR	● YES O NO	
USER DATA ERROR	O YES  No	
MAX TIME FOR OPERATION	300 SECONDS	
ОК	CANCEL	

FIG.3

	OPERATION GUIDANCE	
ERROR REC	OVERY PROCESS:	42
	PRINTING CONTINUATION	
	O YES   NO	
ERROR:	SHEET SIZE MISMATCH	
GUIDANCE:	I GNORE ERROR AND CONTINUE TO PRINT	
	OK CANCEL	


FIG.4


CLASSIFICATION CODE OF SPROR	DETAIL CODE of <del>SP</del> RoR
0x10	0x100001
0x10	0x100002
0x10	0x100003
0x10	0x100004
i.	:
0x20	0x100001
0x20	0×100002
:	:
0xMM	OXNNNNNN

CLASSIFICATION CODE OF ERRIP	DETAIL CODE OF GREORS	177
Dx10: SHEET SIZE MISMATCH ERROR	0×10 0001: SHEET SIZE IS SMALLER THAN SPECIFIED 0×10 0002: SHEET SIZE IS LARGER THAN SPECIFIED	,
0x20: FONT SELECTION ERROR	0x20 0001: NO FONT For SPECIFIED TYPEFACE, ATTRIBUTE 0x20 0002: NO FONT For SPECIFIED SYMBOL SET, ATTRIBUTE 0x20 0003: NO FONT For SPECIFIED STYLE, ATTRIBUTE 0x20 0004: NO FONT For SPECIFIED STYLE, ATTRIBUTE 0x20 0005: SPECIFIED 0x20 0006: SPECIFIED 0x20 0006: SPECIFIED POINT SIZE 0x20 0007: SPECIFIED STROKE WEIGHT 0x20 0007: SPECIFIED STROKE WEIGHT 0x20 0007: SPECIFIED STROKE WEIGHT	KITAZAWA 6. KOIZUMI
0x30: DEVICE CONFIGURATION MISMATCH ERROR	0x30 0001: DUPLEX PATA SPECIFIED TO RINTER. 0x30 0002: SPECIFIED INPUT TRAY,NOT FOUND  0x30 0003: SPECIFIED OUTPUT STACKER (BIN).NOT FOUND	3/11
0x40: USER DATA ERROR	OX40 0001: SPECIFIED PDL NOT FOUND OX40 0002: INVALID COMMAND IN PDL. OX40 0003: UNDEDINED COMMAND IN PDL. OX40 0003: UNDEDINED COMMAND IN PDL. OX40 0003: UNDEDINED COMMAND IN PDL. OX40 0003: NAJALID PATAFOR WAT OF DOWNLOADED FONT OX40 0003: MEMORY CAPACITY IN T SUFFICIENT IN READINA DOWNLOADED FONT OX40 0003: MEMORY CAPACITY IN T SUFFICIENT IN READINA DOWNLOADED FONT. OX40 0009: WRITE ERROR FOR DOWNLOADED FONT. OX40 0009: WRITE ARROR FOR DOWNLOADED FONT. OX40 0000: SPECIFIED OVERLAY DATA FORMAT IS INVALID. OX40 0000: READERRY CAPACITY NOT SUFFICIENT FOR DOWNLOADED OVERLAY DATA OX40 0000: READERRY CAPACITY NOT SUFFICIENT FOR DOWNLOADED OVERLAY DATA OX40 0000: READERRY FOR DOWNLOADED OVERLAY DATA OX40 0000: WRITE ERROR FOR DOWNLOADED OVERLAY DATA OX40 0000: READERRY FOR DOWNLOADED OVERLAY DATA	NO. 6906 P. 37/4:

FIG.6

ERROR CATEGORY	GREOR RECOVERY METHOD
0x10: SHEET SIZE MISMATCH ERROR	0x00: RECOVERY BY USER OPERATION
0x20: FONT SELECTION ERROR	0x01: AUTOMATIC CONTINUATION
0x30: DEVICE CONFIGURATION MISMATCH ERROR	0x01: AUTOMATIC CONTINUATION
0x40: USER DATA ERROR	0x00: RECOVERY BY USER OPERATION





DATA RECEPTION / PDL ANALYSIS TASK

START

RECEIVE MESSAGE FOR SELF 745 L S20

IMAGE RENDERING PROLEDURE S21

S22

VES


ERROR ?

ERR = "ERROR CODE" S23


ERROR RECOVERY PROLEDURE S24

IMAGE RENDERING TASK

## FIG.10



**IMAGE PRINTING TASK** 



ERROR RECOVERY PROLEDURZ

